# **TBT**TURF SERVICES, LLC



Sold By
TBT Turf Services, LLC
P.O. Box 881124
Port St. Lucie, Florida 34988
(772) 643-3460
"Superior Solutions for Turf Professionals" © 2022

#### Conditions Of Sale

Seller warrants that products will be labeled as required under state and federal laws and that they conform to the label description. Any non-conformance must be reported in writing to Seller within Thirty (30) days after purchase as a prerequisite to maintaining any claim against Seller. Buyer agrees to inspect all products purchased immediately upon delivery.

THE SELLER'S LIABILITY UNDER THIS WARRANTY IS LIMITED IN AMOUNT TO THE PURCHASE PRICE OF THE PRODUCT.

THE SELLER'S LIABILITY UNDER THIS WARRANTY IS LIMITED IN AMOUNT TO THE PURCHASE PRICE OF THE PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THIS STATEMENT.

#### CAUTION

Keep Out Of Reach Of Children

Weight per Gallon: .... 11.22 lbs Net Contents: ........... 2.5 gals. Net Weight: ............. 28.05 lbs

#### **General Information**

**GIo-Mix** is a liquid foliar formulation designed to correct and prevent the most common mineral deficiencies in many grass species. When used first in the mixing order, it will help in reducing the pH of the final spray solution. A jar-test to check the compatibilities of unfamiliar or new combinations should be performed prior to mixing and application. The addition of a non-ionic surfactant and/or urea will aid in plant uptake.

# **Guaranteed Analysis**

Magnesium (Mg)	2.00%
2.00%Chelated Magnesium (Mg)	
Total Sulfur (S)	6.00%
Iron (Fe)	4.00%
4.00% Chelated Iron (Fe)	
Manganese (Mn)	2.00%
2.00% Chelated Manganese (Mn)	

Derived from: Magnesium Lignin Sulfonate, Iron Lignin Sulfonate and Manganese Lignin Sulfonate.

## **Directions For Use**

Glo-Mix should be applied at least once a month in enough water to allow for thorough coverage, usually a minimum of 40 gallons per acre. When spray volumes lower than 40 gal/acre are used, water in after application. Fertigation: 30 gallons of Glo-Mix may be mixed in 1000 gallons of water and applied through any type of irrigation system.

### **Crop Recommendations**

**Turf/Sod/Lawns:** Apply 3-6 oz. per 1000 sq. ft. **Bahiagrass:** Apply 2-3 oz. per 1000 sq. ft. and repeat every 30 days.

**Bermudagrass:** (including Tifway and other hybrid varieties): Apply 4-6 oz. per 1000 sq. ft. and repeat every 15 days. **Carpetgrass:** Apply 3-4 oz. per 1000 sq. ft. and repeat every 30-60 days.

**St. Augustine grass:** (including Floratam): Apply 4-6 oz. per 1000 sq. ft. and repeat every 7-15 days. **Zoysiagrass:** (especially on calcareous soils): Apply 6-8 oz. per 1000 sq. ft. and repeat every 7-15 days.



May cause damage to central nervous system through prolonged or repeat exposure

**Prevention:** Wear protective gloves and chemical splash-proof goggles. Do not breathe vapors, mists or sprays. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. **Response:** 

If swallowed: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water.

<u>If on skin (or hair):</u> Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse.

 $\underline{\textit{If inhaled:}}$  Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Storage: Keep containers tightly closed when not in use.

**Disposal:** Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Triple rinse (or equivalent) containers and offered for recycling.

**Keep away from children.** Do not contaminate feed, seed or water supplies.